


SUSCOM

ARMS



SUSCOM | ABOUT US

At Suscom we focus and strive to meet our client's demands, for this reason, our in-house facilities allow us to be flexible and give us greater control over quality.

We believe that design and innovation is the key to our success. Our new production facilities is the first of its kind, with the option of automated castor fitting allowing us to tailor each product to suit our clients requirements.

As a company focused on lowering our environmental impact, it is important that our products also incorporate and reflect this ethos. With all of this in mind we have modified and updated many products to make them 100% recyclable.



ARM | AIO



ARM | AIO



FEATURES

- Universal height adjustable arm rest, with side mounted mechanism for easy adjustment
- Arm pad connection points 100mm
- Bracket angle 102 degrees
- Brackets 54mm x 54mm
- Forward tilting arm

ARM | F103PP



FEATURES

- Universal static height operation arm rest
- Bracket angle 95 degrees
- Brackets 54mm x 54mm

ARM | CH-518.PP



FEATURES

- Universal static height operation arm rest
- Bracket angle 95 degrees
- Brackets 54mm x 54mm

ARM | AJ.S101



FEATURES

- Universal height adjustable arm rest, with side mounted mechanism for easy adjustment
- Arm pad connection points 100mm
- Bracket angle 102 degrees
- Brackets 54mm x 54mm

ARM | AJ.102 BLK



FEATURES

- Universal height adjustable arm rest, with side mounted mechanism for easy adjustment
- Twisting Pad connection function, 3 lockable positions
- Arm pad connection points 100mm
- Bracket angle 98 degrees
- Brackets 54mm x 54mm



ARM | AJ.102 CRM




FEATURES

- Universal height adjustable arm rest, with side mounted mechanism for easy adjustment
- Twisting Pad connection function, 3 lockable positions
- Arm pad connection points 100mm
- Bracket angle 98 degrees
- Brackets 54mm x 54mm



ARM | AJ.302A



FEATURES

- Universal height adjustable arm rest, with side mounted mechanism for easy adjustment
- Arm pad connection points 100mm
- Bracket angle 102 degrees
- Brackets 54mm x 54mm
- Forward tilting arm

ARM | AJ.TREND.PP



FEATURES

- Universal height adjustable arm rest, with side mounted mechanism for easy adjustment
- Arm pad connection points 100mm
- Bracket angle 97 degrees
- Brackets 54mm x 54mm
- Forward tilting arm


ARM | AJ.FOLD



FEATURES

- Universal height adjustable arm rest, with side mounted mechanism for easy adjustment.
- Arm pad connection points 100mm
- Bracket angle 100 degrees
- Brackets 54mm x 54mm
- Forward tilting arm



ARM | PU.201



FEATURES

- Moulded polyurethane arm pad
- Fixed position
- Black fine texture finish
- Arm pad connection points 100mm



ARM | PU.212



FEATURES

- Moulded polyurethane arm pad
- Fixed position
- Black fine texture finish
- Arm pad connection points 100mm



ARM | PU.215



FEATURES

- Moulded polyurethane arm pad
- Fixed position
- Black fine texture finish
- Arm pad connection points 100mm



ARM | PU.302



FEATURES

- Moulded polyurethane arm pad
- Fixed position
- Black fine texture finish
- Arm pad connection points 100mm

ARM | PU.TREND 2D



FEATURES

- Moulded polyurethane arm pad
- Fixed position
- Black fine texture finish
- Arm pad connection points 100m
- Forward sliding pad 30mm movement



Suscom Industries Ltd.

Unit 8 Leopold Street | Lamberhead Ind. Estate
Pemberton | Wigan | WN5 8DH | United Kingdom

Web | www.suscom-ind.co.uk

Telephone | +44 (0)1942 221133

Email | sales@suscom-ind.co.uk

